Wiedenmann®
Original Parts

Original Tines from Wiedenmann

We are turf. www.wiedenmann.com

Why source Original Tines from Wiedenmann?

The answer is quite simple: our Original Tines and our TERRA SPIKE® machines are a perfekt match!

Only by using our Original Tines you get:

- highest **quality**
- high **wear resistance**
- one hundred percent **fitting precision**
- perfect **interaction** between tine and tool support
- excellent **hole quality** for the best turf

The result of many years of technical development are high-quality tines that are ideally suited to the tough operating conditions of **TERRA SPIKE®** machines.

The shape of the tines is also adapted to the conditions of the machines.

This applies especially to the type of fastening, which is decisive for functionality and operational safety. When using third-party tines, even the smallest deviations / differences in the tine mounting can lead to deformations of the tines and tool supports.
The operational safety of the machine is no longer guaranteed and cost-intensive repairs are the result.

Play it safe.

Original Tines from Wiedenmann – when it has to fit!

CONTENTS

Here you will find suitable tines for your machine:

TERRA SPIKE SL 6	4 - 5
GREENS TERRA SPIKE G6/135	6 - 7
GREENS TERRA SPIKE G6/160	8 - 9
TERRA SPIKE GXi 6	10 - 11
TERRA SPIKE GXi 8	12 - 13
TERRA SPIKE XF 6	14 - 15
TERRA SPIKE XF 8	16 - 17
TERRA SPIKE XD 6	18 - 19
TERRA SPIKE XD 8	20 - 21
TERRA SPIKE XP 6	22 - 23
TERRA SPIKE XP 8	24 - 25
DIMENSIONS	

TERRA SPIKE SL 6

MOUNTING PARTS

Part no.	Description	Demand per machine
1013540	Hexagonal screw with coned half dog point	24
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	24

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1500111	Solid Tine	8	8 x 200	232	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	24
1500190	Solid Tine	12	8 x 220	253	24
1500181	Solid Tine	12	10 x 170	204	24
1500180	Solid Tine	12	10 x 210	243	24
1500124	Solid Tine	12	12 x 170	204	24
1500120	Solid Tine	12	12 x 200	234	24
1500170	Solid Tine	12	16 x 150	184	24

Only in combination with 280 rpm drive or 360 rpm drive!

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1555003	Root Knife	12	19 x 5 x 175	220	24

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	152	24
1554005	Cross Tine	12	12 x 2,5 x 200	243	24

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine	
1552015	Micro Coring Tine	8	7 x 80	4,4	127	24	Recommended in combination with multi-tine holder 1237973.
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	24	
1552010	Coring Tine	12	10 x 125	6,5	155	24	
1552020	Coring Tine	12	14 x 110	8,5	142	24	
1552030	Coring Tine	12	16 x 170	10	206	24	
1553022	Coring Tine	12	20 x 150	13	185	24	
1553020	Coring Tine	12	20 x 200	13	236	24	
1520014	Top Eject Coring Tine	19	14 x 145	11	146	24	Can only be fitted in combination with tine holder for top ejecting coring tines 1237960!
1520016	Top Eject Coring Tine	19	17 x 145	14	146	24	Can only be fitted in combination with tine holder for top ejecting coring tines 1237960!

NEEDLE TINES

Part no.	Description	
1016499	Needle tines 5 x 135 mm (Box with 100 pcs.)	Can only be fitted in combination with nail board 1237975!
1014210	Needle tines 8 x 150 mm (Box with 80 pcs.)	Can only be fitted in combination with nail board 1237975!

TINE HOLDERS

Part no.	Description	Demand per machine	
1237975	Nail board: For needle tines 5 x 135 mm or 8 x 150 mm Mountable quantity per nail board: 8 or 12 needle tines	6	
1237973	Multi-tine holder for 8 tines with mounting diameter 8 mm	6	
1237970	Multi-tine holder for 6 tines with mounting diameter 12 mm Max. working depth: 200 mm Solid tines max. D= 12 mm Cross tines max. D= 12 mm Coring tines max. D= 16 mm	6	Only in combination with 280 rpm drive or 360 rpm drive!
1237960	Tine holder for top ejecting coring tines (Top Eject) Mountable quantity per tine holder: 4 coring tines	6	
1237950	Standard tine holder for 4 tines with mounting diameter 12 mm --> 1 set is already included in the basic machine	6	

GREENS TERRA SPIKE G6/135

MOUNTING PARTS

Part no.	Description	Demand per machine
1196414	Threaded bush	12
1013540	Hexagonal screw with coned half dog point	24
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	24

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1500111	Solid Tine	8	8 x 200	232	24
1500112	Solid Tine	8	8 x 260	292	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	24
1500190	Solid Tine	12	8 x 220	253	24
1500191	Solid Tine	12	8 x 270	303	24
1500181	Solid Tine	12	10 x 170	204	24
1500180	Solid Tine	12	10 x 210	243	24
1500124	Solid Tine	12	12 x 170	204	24
1500120	Solid Tine	12	12 x 200	234	24
1500121	Solid Tine	12	12 x 250	284	24
1500122	Solid Tine	12	12 x 275	309	24
1500170	Solid Tine	12	16 x 150	184	24
1500171	Solid Tine	12	16 x 220	254	24
1500136	Solid Tine	M14	20 x 250	301	12
1500132	Solid Tine	M14	20 x 275	326	12
1500140	Solid Tine	M14	22 x 220	271	12
1500141	Solid Tine	M14	22 x 275	326	12

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1555003	Root Knife	12	19 x 5 x 175	220	24

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	152	24
1554005	Cross Tine	12	12 x 2,5 x 200	243	24
1554006	Cross Tine	12	19 x 2,5 x 200	243	24

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine
1552015	Micro Coring Tine	8	7 x 80	4,4	127	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	24
1552010	Coring Tine	12	10 x 125	6,5	155	24
1552020	Coring Tine	12	14 x 110	8,5	142	24
1552030	Coring Tine	12	16 x 170	10	206	24
1552031	Coring Tine	12	16 x 250	10	287	24
1553022	Coring Tine	12	20 x 150	13	185	24
1553020	Coring Tine	12	20 x 200	13	236	24
1553021	Coring Tine	12	20 x 250	13	287	24
1563030	Coring Tine	M14	25 x 250	16	320	12

Recommended in combination with multi-tine holder 1191915.

TINE HOLDERS

Part no.	Description	Demand per machine
1191915	Multi-tine holder for 8 tines with mounting diameter 8 mm	6



GREENS TERRA SPIKE G6/160

MOUNTING PARTS

Part no.	Description	Demand per machine
1196414	Threaded bush	12
1013540	Hexagonal screw with coned half dog point	24
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	24

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1500111	Solid Tine	8	8 x 200	232	24
1500112	Solid Tine	8	8 x 260	292	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	24
1500190	Solid Tine	12	8 x 220	253	24
1500191	Solid Tine	12	8 x 270	303	24
1500181	Solid Tine	12	10 x 170	204	24
1500180	Solid Tine	12	10 x 210	243	24
1500124	Solid Tine	12	12 x 170	204	24
1500120	Solid Tine	12	12 x 200	234	24
1500121	Solid Tine	12	12 x 250	284	24
1500122	Solid Tine	12	12 x 275	309	24
1500170	Solid Tine	12	16 x 150	184	24
1500171	Solid Tine	12	16 x 220	254	24
1500136	Solid Tine	M14	20 x 250	301	12
1500132	Solid Tine	M14	20 x 275	326	12
1500140	Solid Tine	M14	22 x 220	271	12
1500141	Solid Tine	M14	22 x 275	326	12

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1555003	Root Knife	12	19 x 5 x 175	220	24

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	152	24
1554005	Cross Tine	12	12 x 2,5 x 200	243	24
1554006	Cross Tine	12	19 x 2,5 x 200	243	24

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine
1552015	Micro Coring Tine	8	7 x 80	4,4	127	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	24
1552010	Coring Tine	12	10 x 125	6,5	155	24
1552020	Coring Tine	12	14 x 110	8,5	142	24
1552030	Coring Tine	12	16 x 170	10	206	24
1552031	Coring Tine	12	16 x 250	10	287	24
1553022	Coring Tine	12	20 x 150	13	185	24
1553020	Coring Tine	12	20 x 200	13	236	24
1553021	Coring Tine	12	20 x 250	13	287	24
1563030	Coring Tine	M14	25 x 250	16	320	12

Recommended in combination with multi-tine holder 1191910.

NEEDLE TINES

Part no.	Description	
1016499	Needle tines 5 x 135 mm (Box with 100 pcs.)	Can only be fitted in combination with multi-tine holder 1196745!
1014210	Needle tines 8 x 150 mm (Box with 80 pcs.)	Can only be fitted in combination with multi-tine holder 1196745!

TINE HOLDERS

Part no.	Description	Demand per machine
1191910	Multi-tine holder for 8 tines with mounting diameter 8 mm	6
1191940	Multi-tine holder for 8 tines with mounting diameter 12 mm	6
1196745	Multi-tine holder for needle tines 5 x 135 mm or 8 x 150 mm Mountable quantity per tine holder: 8 or 12 needle tines	6

TERRA SPIKE GXi 6

MOUNTING PARTS

Part no.	Description	Demand per machine
1013540	Hexagonal screw with coned half dog point	24
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	24

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine	
1500111	Solid Tine	8	8 x 200	232	24	
1500112	Solid Tine	8	8 x 260	292	24	
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	24	
1500190	Solid Tine	12	8 x 220	253	24	
1500191	Solid Tine	12	8 x 270	303	24	
1500181	Solid Tine	12	10 x 170	204	24	
1500180	Solid Tine	12	10 x 210	243	24	
1500124	Solid Tine	12	12 x 170	204	24	
1500120	Solid Tine	12	12 x 200	234	24	
1500121	Solid Tine	12	12 x 250	284	24	
1500170	Solid Tine	12	16 x 150	184	24	Only in combination with 385 rpm drive!
1500171	Solid Tine	12	16 x 220	254	24	Only in combination with 385 rpm drive!
1500172	Solid Tine	M10	16 x 170	223	12	
1500131	Solid Tine	M10	20 x 250	303	12	

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1555003	Root Knife	12	19 x 5 x 175	220	24

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	152	24
1554005	Cross Tine	12	12 x 2,5 x 200	243	24
1554006	Cross Tine	12	19 x 2,5 x 200	243	24

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine
1552015	Micro Coring Tine	8	7 x 80	4,4	127	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	24
1552010	Coring Tine	12	10 x 125	6,5	155	24
1552020	Coring Tine	12	14 x 110	8,5	142	24
1552030	Coring Tine	12	16 x 170	10	206	24
1552031	Coring Tine	12	16 x 250	10	287	24
1553022	Coring Tine	12	20 x 150	13	185	24
1553020	Coring Tine	12	20 x 200	13	236	24
1553021	Coring Tine	12	20 x 250	13	287	24
1573032	Coring Tine	M10	25 x 150	16	211	12
1573030	Coring Tine	M10	25 x 250	16	312	12

Recommended in combination with multi-tine holder 1223360.

NEEDLE TINES

Part no.	Description	
1016499	Needle tines 5 x 135 mm (Box with 100 pcs.)	Can only be fitted in combination with multi-tine holder 1222910!
1014210	Needle tines 8 x 150 mm (Box with 80 pcs.)	Can only be fitted in combination with multi-tine holder 1222910!

TINE HOLDERS

Part no.	Description	Demand per machine	
1223360	Multi-tine holder for 8 tines with mounting diameter 8 mm (Tines required for complete fitting: 46 Micro Coring Tines 1552015 --> the two outermost tines on the left + right must not be fitted!)	6	Only approved for use with Micro Coring Tines 1552015!
1222910	Multi-tine holder for needle tines 5 x 135 mm or 8 x 150 mm Mountable quantity per tine holder: 8 or 12 needle tines	6	

TERRA SPIKE GXi 8

MOUNTING PARTS

Part no.	Description	Demand per machine
1013540	Hexagonal screw with coned half dog point	32
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	32

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine	
1500111	Solid Tine	8	8 x 200	232	32	
1500112	Solid Tine	8	8 x 260	292	32	
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	32	
1500190	Solid Tine	12	8 x 220	253	32	
1500191	Solid Tine	12	8 x 270	303	32	
1500181	Solid Tine	12	10 x 170	204	32	
1500180	Solid Tine	12	10 x 210	243	32	
1500124	Solid Tine	12	12 x 170	204	32	
1500120	Solid Tine	12	12 x 200	234	32	
1500121	Solid Tine	12	12 x 250	284	32	
1500170	Solid Tine	12	16 x 150	184	32	Only in combination with 385 rpm drive!
1500171	Solid Tine	12	16 x 220	254	32	Only in combination with 385 rpm drive!!
1500172	Solid Tine	M10	16 x 170	223	16	
1500131	Solid Tine	M10	20 x 250	303	16	

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1555003	Root Knife	12	19 x 5 x 175	220	32

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	152	32
1554005	Cross Tine	12	12 x 2,5 x 200	243	32
1554006	Cross Tine	12	19 x 2,5 x 200	243	32

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine
1552015	Micro Coring Tine	8	7 x 80	4,4	127	32
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	32
1552010	Coring Tine	12	10 x 125	6,5	155	32
1552020	Coring Tine	12	14 x 110	8,5	142	32
1552030	Coring Tine	12	16 x 170	10	206	32
1552031	Coring Tine	12	16 x 250	10	287	32
1553022	Coring Tine	12	20 x 150	13	185	32
1553020	Coring Tine	12	20 x 200	13	236	32
1553021	Coring Tine	12	20 x 250	13	287	32
1573032	Coring Tine	M10	25 x 150	16	211	16
1573030	Coring Tine	M10	25 x 250	16	312	16

Recommended in combination with multi-tine holder 1223360.

NEEDLE TINES

Part no.	Description
1016499	Needle tines 5 x 135 mm (Box with 100 pcs.)
1014210	Needle tines 8 x 150 mm (Box with 80 pcs.)

Can only be fitted in combination with multi-tine holder 1222910!

Can only be fitted in combination with multi-tine holder 1222910!

TINE HOLDERS

Part no.	Description	Demand per machine
1223360	Multi-tine holder for 8 tines with mounting diameter 8 mm	8
1222910	Multi-tine holder for needle tines 5 x 135 mm or 8 x 150 mm Mountable quantity per tine holder: 8 or 12 needle tines	8
1223355	Multi-tine holder for 6 tines with mounting diameter 12 mm Solid tines max. D= 12 mm Cross tines max. D= 12 mm Coring tines max. D= 14 mm	8

Only approved for use with Micro Coring Tines 1552015!

TERRA SPIKE XF 6

MOUNTING PARTS

Part no.	Description	Demand per machine
1196414	Threaded bush	12
1013540	Hexagonal screw with coned half dog point	24
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	24

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1500111	Solid Tine	8	8 x 200	232	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	24
1500190	Solid Tine	12	8 x 220	253	24
1500181	Solid Tine	12	10 x 170	204	24
1500180	Solid Tine	12	10 x 210	243	24
1500124	Solid Tine	12	12 x 170	204	24
1500120	Solid Tine	12	12 x 200	234	24
1500121	Solid Tine	12	12 x 250	284	24
1500170	Solid Tine	12	16 x 150	184	24
1500171	Solid Tine	12	16 x 220	254	24
1500136	Solid Tine	M14	20 x 250	301	12
1500140	Solid Tine	M14	22 x 220	271	12

Only in combination with 345 rpm drive or 410 rpm drive!

Only in combination with 345 rpm drive!

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1555003	Root Knife	12	19 x 5 x 175	220	24

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	243	24
1554005	Cross Tine	12	12 x 2,5 x 200	243	24
1554006	Cross Tine	12	19 x 2,5 x 200	243	24

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine
1552015	Micro Coring Tine	8	7 x 80	4,4	127	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	24
1552010	Coring Tine	12	10 x 125	6,5	155	24
1552020	Coring Tine	12	14 x 110	8,5	142	24
1552030	Coring Tine	12	16 x 170	10	206	24
1552031	Coring Tine	12	16 x 250	10	287	24
1553022	Coring Tine	12	20 x 150	13	185	24
1553020	Coring Tine	12	20 x 200	13	236	24
1553021	Coring Tine	12	20 x 250	13	287	24
1563030	Coring Tine	M14	25 x 250	16	320	12
1563050	Coring Tine	M14	32 x 250	20,5	320	12

Only in combination with 345 rpm drive or 410 rpm drive!

NEEDLE TINES

Part no.	Description	
1016499	Needle tines 5 x 135 mm (Box with 100 pcs.)	Can only be fitted in combination with multi-tine holder 1203800!
1014210	Needle tines 8 x 150 mm (Box with 80 pcs.)	Can only be fitted in combination with multi-tine holder 1203800!

TINE HOLDERS

Part no.	Description	Demand per machine
1203800	Multi-tine holder for needle tines 5 x 135 mm or 8 x 150 mm Mountable quantity per tine holder: 8 or 12 needle tines	6

TERRA SPIKE XF 8

MOUNTING PARTS

Part no.	Description	Demand per machine
1196414	Threaded bush	16
1013540	Hexagonal screw with coned half dog point	32
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	32

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1500111	Solid Tine	8	8 x 200	232	32
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	32
1500190	Solid Tine	12	8 x 220	253	32
1500181	Solid Tine	12	10 x 170	204	32
1500180	Solid Tine	12	10 x 210	243	32
1500124	Solid Tine	12	12 x 170	204	32
1500120	Solid Tine	12	12 x 200	234	32
1500121	Solid Tine	12	12 x 250	284	32
1500170	Solid Tine	12	16 x 150	184	32
1500171	Solid Tine	12	16 x 220	254	32
1500136	Solid Tine	M14	20 x 250	301	16
1500140	Solid Tine	M14	22 x 220	271	16

Only in combination with 345 rpm drive or 410 rpm drive!

Only in combination with 345 rpm drive!

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1555003	Root Knife	12	19 x 5 x 175	220	32

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	152	32
1554005	Cross Tine	12	12 x 2,5 x 200	243	32
1554006	Cross Tine	12	19 x 2,5 x 200	243	32

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine
1552015	Micro Coring Tine	8	7 x 80	4,4	127	32
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	32
1552010	Coring Tine	12	10 x 125	6,5	155	32
1552020	Coring Tine	12	14 x 110	8,5	142	32
1552030	Coring Tine	12	16 x 170	10	206	32
1552031	Coring Tine	12	16 x 250	10	287	32
1553022	Coring Tine	12	20 x 150	13	185	32
1553020	Coring Tine	12	20 x 200	13	236	32
1553021	Coring Tine	12	20 x 250	13	287	32
1563030	Coring Tine	M14	25 x 250	16	320	16
1563050	Coring Tine	M14	32 x 250	20,5	320	16

Only in combination with 345 rpm drive or 410 rpm drive!

NEEDLE TINES

Part no.	Description	
1016499	Needle tines 5 x 135 mm (Box with 100 pcs.)	Can only be fitted in combination with multi-tine holder 1203800!
1014210	Needle tines 8 x 150 mm (Box with 80 pcs.)	Can only be fitted in combination with multi-tine holder 1203800!

TINE HOLDERS

Part no.	Description	Demand per machine
1203800	Multi-tine holder for needle tines 5 x 135 mm or 8 x 150 mm Mountable quantity per tine holder: 8 or 12 needle tines	8

TERRA SPIKE XD 6

MOUNTING PARTS

Part no.	Description	Demand per machine
1196414	Threaded bush	12
1013540	Hexagonal screw with coned half dog point	24
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	24

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1500111	Solid Tine	8	8 x 200	232	24
1500112	Solid Tine	8	8 x 260	292	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	24
1500190	Solid Tine	12	8 x 220	253	24
1500191	Solid Tine	12	8 x 270	303	24
1500181	Solid Tine	12	10 x 170	204	24
1500180	Solid Tine	12	10 x 210	243	24
1500124	Solid Tine	12	12 x 170	204	24
1500120	Solid Tine	12	12 x 200	234	24
1500121	Solid Tine	12	12 x 250	284	24
1500122	Solid Tine	12	12 x 275	309	24
1500170	Solid Tine	12	16 x 150	184	24
1500171	Solid Tine	12	16 x 220	254	24
1500136	Solid Tine	M14	20 x 250	301	12
1500132	Solid Tine	M14	20 x 275	326	12
1500140	Solid Tine	M14	22 x 220	271	12
1500141	Solid Tine	M14	22 x 275	326	12
1500150	Solid Tine	M14	25 x 275	326	12

Only in combination with 345 rpm drive!

Only in combination with 345 rpm drive!

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1555003	Root Knife	12	19 x 5 x 175	220	24

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	152	24
1554005	Cross Tine	12	12 x 2,5 x 200	243	24
1554006	Cross Tine	12	19 x 2,5 x 200	243	24

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine
1552015	Micro Coring Tine	8	7 x 80	4,4	127	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	24
1552010	Coring Tine	12	10 x 125	6,5	155	24
1552020	Coring Tine	12	14 x 110	8,5	142	24
1552030	Coring Tine	12	16 x 170	10	206	24
1552031	Coring Tine	12	16 x 250	10	287	24
1553022	Coring Tine	12	20 x 150	13	185	24
1553020	Coring Tine	12	20 x 200	13	236	24
1553021	Coring Tine	12	20 x 250	13	287	24
1563030	Coring Tine	M14	25 x 250	16	320	12
1563050	Coring Tine	M14	32 x 250	20,5	320	12

NEEDLE TINES

Part no.	Description	
1016499	Needle tines 5 x 135 mm (Box with 100 pcs.)	Can only be fitted in combination with multi-tine holder 1203800!
1014210	Needle tines 8 x 150 mm (Box with 80 pcs.)	Can only be fitted in combination with multi-tine holder 1203800!

TINE HOLDERS

Part no.	Description	Demand per machine
1203800	Multi-tine holder for needle tines 5 x 135 mm or 8 x 150 mm Mountable quantity per tine holder: 8 or 12 needle tines	6

TERRA SPIKE XD 8

MOUNTING PARTS

Part no.	Description	Demand per machine
1196414	Threaded bush	16
1013540	Hexagonal screw with coned half dog point	32
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	32

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1500111	Solid Tine	8	8 x 200	232	32
1500112	Solid Tine	8	8 x 260	292	32
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	32
1500190	Solid Tine	12	8 x 220	253	32
1500191	Solid Tine	12	8 x 270	303	32
1500181	Solid Tine	12	10 x 170	204	32
1500180	Solid Tine	12	10 x 210	243	32
1500124	Solid Tine	12	12 x 170	204	32
1500120	Solid Tine	12	12 x 200	234	32
1500121	Solid Tine	12	12 x 250	284	32
1500122	Solid Tine	12	12 x 275	309	32
1500170	Solid Tine	12	16 x 150	184	32
1500171	Solid Tine	12	16 x 220	254	32
1500136	Solid Tine	M14	20 x 250	301	16
1500132	Solid Tine	M14	20 x 275	326	16
1500140	Solid Tine	M14	22 x 220	271	16
1500141	Solid Tine	M14	22 x 275	326	16
1500150	Solid Tine	M14	25 x 275	326	16

Only in combination with 345 rpm drive!

Only in combination with 345 rpm drive!

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per Maschine
1555003	Root Knife	12	19 x 5 x 175	220	32

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	152	32
1554005	Cross Tine	12	12 x 2,5 x 200	243	32
1554006	Cross Tine	12	19 x 2,5 x 200	243	32

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine
1552015	Micro Coring Tine	8	7 x 80	4,4	127	32
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	32
1552010	Coring Tine	12	10 x 125	6,5	155	32
1552020	Coring Tine	12	14 x 110	8,5	142	32
1552030	Coring Tine	12	16 x 170	10	206	32
1552031	Coring Tine	12	16 x 250	10	287	32
1553022	Coring Tine	12	20 x 150	13	185	32
1553020	Coring Tine	12	20 x 200	13	236	32
1553021	Coring Tine	12	20 x 250	13	287	32
1563030	Coring Tine	M14	25 x 250	16	320	16
1563050	Coring Tine	M14	32 x 250	20,5	320	16

NEEDLE TINES

Part no.	Description	
1016499	Needle tines 5 x 135 mm (Box with 100 pcs.)	Can only be fitted in combination with multi-tine holder 1203800!
1014210	Needle tines 8 x 150 mm (Box with 80 pcs.)	Can only be fitted in combination with multi-tine holder 1203800!

TINE HOLDERS

Part no.	Description	Demand per machine
1203800	Multi-tine holder for needle tines 5 x 135 mm or 8 x 150 mm Mountable quantity per tine holder: 8 or 12 needle tines	8

TERRA SPIKE XP 6

MOUNTING PARTS

Part no.	Description	Demand per machine
1196414	Threaded bush	12
1013540	Hexagonal screw with coned half dog point	24
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	24

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1500111	Solid Tine	8	8 x 200	232	24
1500112	Solid Tine	8	8 x 260	292	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	24
1500190	Solid Tine	12	8 x 220	253	24
1500191	Solid Tine	12	8 x 270	303	24
1500181	Solid Tine	12	10 x 170	204	24
1500180	Solid Tine	12	10 x 210	243	24
1500124	Solid Tine	12	12 x 170	204	24
1500120	Solid Tine	12	12 x 200	234	24
1500121	Solid Tine	12	12 x 250	284	24
1500122	Solid Tine	12	12 x 275	309	24
1500123	Solid Tine	12	12 x 320	361	24
1500170	Solid Tine	12	16 x 150	184	24
1500171	Solid Tine	12	16 x 220	254	24
1500136	Solid Tine	M14	20 x 250	301	12
1500132	Solid Tine	M14	20 x 275	326	12
1500133	Solid Tine	M14	20 x 320	381	12
1500134	Solid Tine	M14	20 x 400	462	12
1500140	Solid Tine	M14	22 x 220	271	12
1500141	Solid Tine	M14	22 x 275	326	12
1500150	Solid Tine	M14	25 x 275	326	12
1500151	Solid Tine	M14	25 x 350	412	12

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1555003	Root Knife	12	19 x 5 x 175	220	24

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	152	24
1554005	Cross Tine	12	12 x 2,5 x 200	243	24
1554006	Cross Tine	12	19 x 2,5 x 200	243	24

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine
1552015	Micro Coring Tine	8	7 x 80	4,4	127	24
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	24
1552010	Coring Tine	12	10 x 125	6,5	155	24
1552020	Coring Tine	12	14 x 110	8,5	142	24
1552030	Coring Tine	12	16 x 170	10	206	24
1552031	Coring Tine	12	16 x 250	10	287	24
1553022	Coring Tine	12	20 x 150	13	185	24
1553020	Coring Tine	12	20 x 200	13	236	24
1553021	Coring Tine	12	20 x 250	13	287	24
1563030	Coring Tine	M14	25 x 250	16	320	12
1563050	Coring Tine	M14	32 x 250	20,5	320	12

Recommended in combination with multi-tine holder 1191910.

NEEDLE TINES

Part no.	Description	
1016499	Needle tines 5 x 135 mm (Box with 100 pcs.)	Can only be fitted in combination with multi-tine holder 1196745!
1014210	Needle tines 8 x 150 mm (Box with 80 pcs.)	Can only be fitted in combination with multi-tine holder 1196745!

TINE HOLDERS

Part no.	Description	Demand per machine
1191910	Multi-tine holder for 8 tines with mounting diameter 8 mm	6
1191940	Multi-tine holder for 8 tines with mounting diameter 12 mm	6
1196745	Multi-tine holder for needle tines 5 x 135 mm or 8 x 150 mm Mountable quantity per tine holder: 8 or 12 needle tines	6

TERRA SPIKE XP 8

MOUNTING PARTS

Part no.	Description	Demand per machine
1196414	Threaded bush	16
1013540	Hexagonal screw with coned half dog point	32
1180256	Adapter sleeve for fastening tines with a mounting diameter of 8 mm in tine holders with a mounting diameter of 12 mm	32

SOLID TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1500111	Solid Tine	8	8 x 200	232	32
1500112	Solid Tine	8	8 x 260	292	32
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	40	32
1500190	Solid Tine	12	8 x 220	253	32
1500191	Solid Tine	12	8 x 270	303	32
1500181	Solid Tine	12	10 x 170	204	32
1500180	Solid Tine	12	10 x 210	243	32
1500124	Solid Tine	12	12 x 170	204	32
1500120	Solid Tine	12	12 x 200	234	32
1500121	Solid Tine	12	12 x 250	284	32
1500122	Solid Tine	12	12 x 275	309	32
1500123	Solid Tine	12	12 x 320	361	32
1500170	Solid Tine	12	16 x 150	184	32
1500171	Solid Tine	12	16 x 220	254	32
1500136	Solid Tine	M14	20 x 250	301	16
1500132	Solid Tine	M14	20 x 275	326	16
1500133	Solid Tine	M14	20 x 320	381	16
1500134	Solid Tine	M14	20 x 400	462	16
1500140	Solid Tine	M14	22 x 220	271	16
1500141	Solid Tine	M14	22 x 275	326	16
1500150	Solid Tine	M14	25 x 275	326	16
1500151	Solid Tine	M14	25 x 350	412	16

ROOT KNIVES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1555003	Root Knife	12	19 x 5 x 175	220	32

CROSS TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Total Length	Demand per machine
1554004	Cross Tine	12	12 x 2,5 x 110	152	32
1554005	Cross Tine	12	12 x 2,5 x 200	243	32
1554006	Cross Tine	12	19 x 2,5 x 200	243	32

CORING TINES

Part no.	Description	Mounting Diameter	Outside Diam./ Working Depth	Core Diameter	Total Length	Demand per machine
1552015	Micro Coring Tine	8	7 x 80	4,4	127	32
1180256	Adapter Sleeve	12	D= 8 mm inside D= 12 mm outside	-	40	32
1552010	Coring Tine	12	10 x 125	6,5	155	32
1552020	Coring Tine	12	14 x 110	8,5	142	32
1552030	Coring Tine	12	16 x 170	10	206	32
1552031	Coring Tine	12	16 x 250	10	287	32
1553022	Coring Tine	12	20 x 150	13	185	32
1553020	Coring Tine	12	20 x 200	13	236	32
1553021	Coring Tine	12	20 x 250	13	287	32
1563030	Coring Tine	M14	25 x 250	16	320	16
1563050	Coring Tine	M14	32 x 250	20,5	320	16

Recommended in combination with multi-tine holder 1191910.

NEEDLE TINES

Part no.	Description	
1016499	Needle tines 5 x 135 mm (Box with 100 pcs.)	Can only be fitted in combination with multi-tine holder 1196745!
1014210	Needle tines 8 x 150 mm (Box with 80 pcs.)	Can only be fitted in combination with multi-tine holder 1196745!

TINE HOLDERS

Part no.	Description	Demand per machine
1191910	Multi-tine holder for 8 tines with mounting diameter 8 mm	8
1191940	Multi-tine holder for 8 tines with mounting diameter 12 mm	8
1196745	Multi-tine holder for needle tines 5 x 135 mm or 8 x 150 mm Mountable quantity per tine holder: 8 or 12 needle tines	8

1563050 Coring Tine 32 x 250
1563030 Coring Tine 25 x 250
1573030 Coring Tine 25 x 250
1553021 Coring Tine 20 x 250
1552031 Coring Tine 16 x 250
1553020 Coring Tine 20 x 200
1573032 Coring Tine 25 x 150
1552030 Coring Tine 16 x 170
1553022 Coring Tine 20 x 150
1552010 Coring Tine 10 x 125
1500170 Solid Tine 16 x 150
1500181 Solid Tine 10 x 170
1500124 Solid Tine 12 x 170
1500111 Solid Tine 8 x 200
1500120 Solid Tine 12 x 200
1500180 Solid Tine 10 x 210
1500190 Solid Tine 8 x 220
1500171 Solid Tine 16 x 220
1500121 Solid Tine 12 x 250
1500112 Solid Tine 8 x 260
1500191 Solid Tine 8 x 270

1552020	1552015	1555003	1554005	1554006	1554004	1520014	1520016	1016499	1014210	1180256
Coring Tine 14 x 110	Micro Coring Tine 7 x 80	Root Knife 19 x 5 x 175	Cross Tine 12 x 2,5 x 200	Cross Tine 19 x 2,5 x 200	Cross Tine 12 x 2,5 x 110	Top-Eject Coring Tine 14 x 145	Top-Eject Coring Tine 17 x 145	Needle Tine 5 x 135	Needle Tine 8 x 150	Adapter Sleeve Ø 8 mm inside Ø 12 mm outside



1500122	1500123	1500172	1500140	1500136	1500131	1500132	1500141	1500150	1500133	1500151	1500134
Solid Tine 12 x 275	Solid Tine 12 x 320	Solid Tine 16 x 170	Solid Tine 22 x 220	Solid Tine 20 x 250	Solid Tine 20 x 250	Solid Tine 20 x 275	Solid Tine 22 x 275	Solid Tine 25 x 275	Solid Tine 20 x 320	Solid Tine 25 x 350	Solid Tine 20 x 400


FOOTBALL
GOLF
AMERICAN FOOTBALL
BASEBALL


POLO
RUGBY
RACECOURSE

PRODUCT OVERVIEW

TERRA SPIKE models for greens and tees

TERRA SPIKE SL 6

Working width:	140 cm
Working depth:	up to 200 mm
Working speed:	max. 3,0 km/h
For tractors from	20 HP

TERRA SPIKE GXI 6

Working width:	140 cm
Working depth:	up to 250 mm
Working speed:	max. 3,2 km/h
For tractors from	25 HP

TERRA SPIKE G6/160

Working width:	160 cm
Working depth:	up to 275 mm
Working speed:	max. 2,4 km/h
For tractors from	25 HP

TERRA SPIKE GXI 8

Working width:	180 cm
Working depth:	up to 250 mm
Working speed:	max. 3,2 km/h
For tractors from	35 HP

TERRA SPIKE models for fairways and sports fields

TERRA SPIKE XP6 / XP8

Working width:	160 cm / 210 cm
Working depth:	up to 400 mm
Working speed:	max. 1,5 km/h
For tractors from	30 HP / 40 HP

TERRA SPIKE XF-6 / XF-8

Working width:	160 cm / 210 cm
Working depth:	up to 220 mm
Working speed:	max. 3,8 km/h
For tractors from	40 HP / 50 HP

TERRA SPIKE XD-6 / XD-8

Working width:	160 cm / 210 cm
Working depth:	up to 275 mm
Working speed:	max. 3,2 km/h
For tractors from	40 HP / 50 HP

CORE RECYCLER

Core Recycler WB

Working width:	120 cm
Type:	
Walk-behind with combustion engine	

Core Recycler TB

Working width:	120 cm
Type:	
Trailed with combustion engine or plug-in PTO pump	

CORE RECYCLER

Unique machine for collecting and processing cores.

- Recycles up to 80 % of the valuable soil substrate.
- Saves up to 40 % top-dress material.
- Minimises the use of herbicides.


Mounting Diameter
Working Depth
Total Length
Outside Diameter
Core Diameter


cm
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0
Ø in mm
5
7
8
10
12
14
16
19
20
22
25
32

TIPP!

Visit us at
www.wiedenmann.com

THERE YOU WILL FIND:

- further wear and spare parts
- comprehensive information on Wiedenmann products and services
- news and practical tips
- sources of supply for the complete Wiedenmann product range

EN 00-000 09/24

Wiedenmann GmbH
Am Bahnhof | 89192 Rammingen | GERMANY
Telefon +49 7345 953-0 | Telefax +49 7345 953-233
info@wiedenmann.com

www.wiedenmann.com